

## Prevalence of chronic thyroiditis in a cohort of patients with papillary carcinoma of thyroid

N. M. Garusinghe<sup>1</sup>, R. K. H. Priyangika<sup>1</sup> and A. U. Kiriwardeniya<sup>2</sup>

*Department of Allied Health Sciences, Faculty of Medical Sciences, University of Sri Jayewardenepura, Sri Lanka<sup>1</sup>*

*Department of Pathology, Faculty of Medical Sciences, University of Sri Jayewardenepura, Sri Lanka<sup>2</sup>*

DOI: <http://doi.org/10.4038/jdp.v11i2.7714>

---

### Introduction

Chronic thyroiditis (CT) is known to be associated with papillary carcinoma of thyroid (PCT). The aim of this study was to identify the prevalence of chronic thyroiditis in a cohort of patients with papillary carcinoma of thyroid and to assess the pre-surgical awareness of existence of chronic thyroiditis.

### Methodology

Patients who underwent thyroidectomy from August 2013 to August 2015 at Colombo South Teaching Hospital for PCT were included in the study. Presence of a pre-surgical diagnosis of CT was assessed by available details in request forms, histopathological and cytopathological reports and/or by direct telephone interviews.

### Results

The total study population was 114 with a female preponderance (94/114, 82.5%). The mean age was 41.52 years and the highest occurrence was in 30 – 40 years age group. Out of 114 PCT patients 63.2% (72/114) were associated with background CT. Of these 32 (44.4 %) did not have a pre-surgical diagnosis of CT.

### Discussion

Two thirds (2/3) of our study population with PCT had associated CT. Majority of them were not aware of CT until after the surgical resection of the gland. However, this study may under-estimate the prevalence of background CT in PCT in both histological and

cytological assessments since the study is a review of reports rather than of slides.

### Conclusion

Results of this preliminary study emphasize the need for further studies to establish the percentage of papillary carcinoma of thyroid associated with chronic thyroiditis in the Sri Lankan population. This may help in assessing the feasibility of a population screening programme.